



ONGOING EVOLUTION



AMBROGIO
R O B O T

THE ROBOTIC LAWNMOWER



Catalog | Catalogue

2022

Ambrogio, robotul de tuns iarba Ambrogio the robotic lawnmower	P. 2
6 motive bune pentru a alege robotul Ambrogio 6 good reasons to choose Ambrogio robot	P. 3
Un robot pentru fiecare gradina One robot for every garden	P. 4



GAMA
RANGE

NEXTline	P. 5
TWENTY ZR	P. 6
TWENTY deluxe - TWENTY elite - TWENTY elite S+	P. 8
TWENTY 25	P. 10
TWENTY 29	P. 11
Garantie de lunga durata Long lasting warranty	P. 12
4.0 Basic	P. 13
4.0 Elite	P. 14
4.36 Elite	P. 15
QUAD Elite	P. 16
NEXT line caracteristici NEXT line datasheet	P. 18
PROline	P. 22
L250i Elite - L250i Elite S+	P. 23
L400i Deluxe - L400i B	P. 24
PRO line caracteristici PRO line datasheet	P. 26
GREENline	P. 28
L60 Elite - L60 Elite S+	P. 29
L15 Deluxe	P. 30
L32 Deluxe	P. 31
GREEN line caracteristici GREEN line datasheet	P. 32



TEHNOLOGIE
TECNOLOGY

APP	P. 34
ZCS innovative inside	P. 35
+INFINITY SYSTEM	P. 36



SMART &
GREEN

AMICO	P. 37
ZDEFENCE	P. 37



ACCESORII
ACCESSORIES

Capac pentru statia de incarcare Recharging base cover	P. 38
Roti dintate Spikes	P. 39
Kit de instalare Installation Kit	P. 39
Smart & Green	P. 39

AMBROGIO ROBOT

THE ROBOTIC LAWNMOWER

Robotul Ambrogio este masina automata de tuns iarba care are grija de orice tip de gazon in autonomie deplina si siguranta totala. Solutia ideala pentru cei care doresc sa imbunatateasca iarba din gradina lor si sa-si recupereze timpul liber; perfect pentru cei care **cauta excelenta in taierea ierbii, respect pentru mediu, eficienta profesionala si inovatie tehnologica.**

Robotul Ambrogio este aliatul perfect de zi cu zi pentru gestionarea oricarei zone verzi : de la gradini rezidentiale mici, simple sau complexe, pana la spatii verzi mari. Cu taierea de tip Mulching a robotului, gazonul devine sanatos, dens si mai putin flamand de ingrasamant si mai presus de toate, nu este nevoie sa va ganditi la aruncarea ierbii taiate.

Robotul Ambrogio este un produs Made in Italy: motoare fara perii, baterii cu litiu, materiale puternice si fiabile pentru a rezista in timp si cu un design frumos si ingrijit, pentru a oferi **performante ridicate pe o gama larga de gradini.**

Robotul Ambrogio vorbeste limba viitorului, simplificandu-ne viata: ne ofera timpul si libertatea de a ne bucura pe deplin de gradina si de viata in aer liber, chiar daca suntem departe de casa. Datorita noilor tehnologii inteligente de la ZCS, puteti **controla și gestiona robotul oriunde va aflati si puteti interactiona cu asistentii vocali.**

Cea mai recenta generatie de roboti de gazon Ambrogio este echipata si cu **inteligenta artificiala**, cu **senzori inteligenti si radar**, care permit robotului sa recunoasca zona de tuns si obstacolele fixe si mobile din gradina, fara a utiliza firul perimetral.

Robotii Ambrogio sunt siguri, **prietenosi cu mediul si animalele de companie.** Ei lucreaza la o distanta sigura de animalul de companie pana cand lama este oprita. Cu sistemul ZDefence*, care foloseste un biorepelent 100% natural, gradina ta va fi, de asemenea, mereu lipsita de tantari.

*compatibil cu liniile 4.0 și 4.36

*Ambrogio robot is the automatic lawnmower that takes care of every type of lawn in complete autonomy and total safety. The ideal solution for those who want to improve the grass in their garden and take back their free time; perfect for those who seek **excellence in grass cutting, respect for the environment, professional efficiency and technological innovation.***

Ambrogio robot is the perfect day-to-day ally for managing any green area: from small residential gardens, simple or complex, to large green spaces. With the robot's Mulching cut, the lawn becomes healthy, thick and less hungry for fertiliser and, above all, there is no need to think about disposing of the grass.

Ambrogio robot is a Made in Italy product: brushless motors, lithium batteries, strong and reliable materials to last over time and with a beautiful and neat design, to offer **high performance on a wide range of lawns.**

*Ambrogio robot speaks the language of the future, simplifying our lives: it gives us the time and freedom to fully enjoy the garden and life in the open air, even if we are far from home. Thanks to the new **Smart Technologies** from ZCS, you can **control and manage the robot wherever you are and interact with voice assistants.***

*The latest generation of Ambrogio robot mowers is also equipped with **artificial intelligence** with **intelligent sensors and radar** that allow the robot to recognise the area to be mown and fixed and mobile obstacles in the garden, without using the perimeter wire.*

Ambrogio robots are safe, environment and pet friendly. They work at a safe distance from the pet until the blade is switched off. With the ZDefence system, which uses a 100% natural biorepellent, your garden will also always be free of mosquitoes.*

*compatible with lines 4.0 and 4.36

Realitate augmentata Augmented Reality



EXPLORATI MAI MULT CU UN CLICK

1. Descarcati **aplicatia Ambrogio Remote.**
2. Cautati in catalog imagini care prezinta simbolul cu literele **+AR**
3. Deschideti aplicatia, scanati imaginea si... **intra in lumea robotului Ambrogio!**

EXPLORE MORE WITH A CLICK

1. Download the **Ambrogio Remote APP.**
2. Search the catalogue for images showing the symbol with the letters **+AR**
3. Open the APP, scan the image and... **enter the world of Ambrogio robot!**

DESCOPERA TOATE VIDEO-urile DIN CATALOG! - DISCOVER ALL VIDEOS IN THE CATALOGUE!

6

Motive bune
pentru a alege
robotul Ambrogio

*Good reasons
to choose
Ambrogio robot*



Inovatie



Calitate



Libertate



Fiabilitate



Alegere



Frumusete





NUMEROASE MODELE, CREATE PENTRU FIECARE TIP DE GRADINA
 NUMEROUS MODELS, CREATED FOR EACH TYPE OF GARDEN

L400i B
 PROline



10.000
 mp/sqm

20.000
 mp/sqm



L400i DELUXE
 PROline

L250i ELITE S+
 PROline



5.000
 mp/sqm

6.000
 mp/sqm



4.36 elite
 NEXTline

TWENTY 29 elite
 NEXTline
 NEW



3.500
 mp/sqm

3.500
 mp/sqm



QUAD elite
 NEXTline
 NEW

L250i ELITE
 PROline



3.200
 mp/sqm

3.500
 mp/sqm



4.0 elite
 NEXTline

4.0 basic
 NEXTline



2.200
 mp/sqm

2.500
 mp/sqm



TWENTY 29 deluxe
 NEXTline
 NEW

TWENTY 25 deluxe
 NEXTline
 NEW



1.400
 mp/sqm

1.800
 mp/sqm



TWENTY 25 elite
 NEXTline
 NEW

TWENTY Z3
 NEXTline
 NEW



1.000
 mp/sqm

1.300
 mp/sqm



TWENTY elite s+
 NEXTline

L32 DELUXE
 GREENline



800
 mp/sqm

1.000
 mp/sqm



TWENTY elite
 NEXTline

L45 DELUXE
 GREENline



600
 mp/sqm

700
 mp/sqm



TWENTY deluxe
 NEXTline

L60 ELITE
 GREENline



200
 mp/sqm

400
 mp/sqm



L60 ELITE S+
 GREENline



GAMA
RANGE

NEXT line

Ultima frontiera a robotilor de tuns iarba

The last frontier of robot mowers



Linia NEXT este generatia Z (post Milenara) de roboti de tuns iarba, proiectata in totalitate in viitor, care anticipeaza fiecare nevoie de taiere a ierbii si management autonom si controlat. Linia NEXT se extinde si prezinta noi modele, capabile sa revolutioneze lumea taierii robotizate.

HIPERTEHNOLOGIC & CONECTAT

Noile tehnologii inteligente la bord fac robotii capabili sa invete singuri caracteristicile zonei de cosit, lucrând fara a fi nevoie de un fir perimetral. Modele hiperconectate in cloud prin IoT, gestionabile de la distanta datorita Aplicatiei si compatibile cu asistenti vocali.

FIABILITATE SI GARANTIE

Materiale de inalta calitate. Performanta ridicata cu fiabilitate maxima garantata pana la 6 ani*.
*pentru modelele 4.0 și 4.36.

MODULAR & PERSONIZABIL

Modelele 4.0 și 4.36 pot fi transformate în multe variante de roboti de tuns iarba diferite: modulare, articulate, adaptabile la diferite nevoi de gradina. Ideale pentru gradinile de dimensiuni medii, acestea pot fi adaptate la spatii mai mici sau chiar mai mari folosind kiturile corespunzatoare Power Unit.

PRIETENOS ANIMALELE DE CASA (AMICO)

Ambrogio este prieten cu toate animalele si le respecta spatiul.

ZDEFENCE*

Sistemul Intelligent & Verde impotriva tantarilor.

*Compatibil cu modelele Ambrogio 4.0 și 4.36.

+INFINITYSYSTEM*

Sistemul de navigatie inovator care permite mai multor roboti sa gestioneze o zona verde in acelasi timp, într-o maniera inteligenta si integrata.

*disponibil pe anumite modele

NEXT line is the Z generation (post Millennials) of robot mowers, totally projected into the future that anticipates every need for grass cutting and autonomous and controlled management. The NEXT line expands and presents new models, capable of revolutionising the world of robotic cutting.

HYPERTHNOLOGICAL & CONNECTED

New smart technologies on board that make the robots capable of self-learning the characteristics of the area to be mowed, working without the need for a perimeter wire. Hyper-connected models in the cloud via IoT, manageable remotely thanks to the APP and compatible with voice assistants.

RELIABILITY & WARRANTY

High quality materials. High performance with maximum reliability guaranteed for up to 6 years.
for 4.0 and 4.36 models.

MODULAR & CUSTOMISABLE

The 4.0 models and the 4.36 can be transformed into many different robot mowers: modular, articulated, adaptable to different garden needs. Ideal for medium-sized gardens, they can be adapted to smaller spaces or even larger ones by using the appropriate Power Unit kits.

PET FRIENDLY (AMICO)

Ambrogio is a friend to all animals and respects their space.

ZDEFENCE*

The Smart & Green system against mosquitoes

*Compatible with Ambrogio 4.0 and 4.36 models.

+INFINITYSYSTEM*

The innovative navigation system that allows several robots to manage a green area at the same time, in an intelligent and integrated manner.

*available on certain models

NEW

TWENTY ZR

NEXTline

**NU ESTE NECESARA
INSTALAREA UNUI FIR PERIMETRAL
NO INSTALLATION
OF PERIMETER WIRE NEEDED**



Tehnologia care revolutioneaza robotii de gradina

The technology that revolutionizes the garden-robotics



VIDEO

1.000 mp/sqm



Twenty ZR este noul robot de tuns gazonul, simplu, compact, usor, puternic si rapid, care nu necesita instalarea de fir perimetral. Robotul este echipat cu cele mai inovatoare tehnologii, care ii permit sa gestioneze si sa cartografieze gradina prin invatarea caracteristicilor acesteia. Tehnologia ZR integreaza sisteme de inteligenta artificiala cu senzori radar, permitand robotului sa detecteze iarba, sa recunoasca obstacolele de la distanta (stationare si in miscare), marginile si perimetrele.

Twenty ZR is the brand new simple, compact, light, powerful and fast robot mower, which does not require the installation of perimeter wire. The robot is equipped with the most innovative technologies, which allow it to manage and map the garden by learning its characteristics. ZR technology integrates artificial intelligence systems with radar sensors, allowing the robot to detect grass, recognise obstacles at a distance (stationary and moving), edges and perimeters.



INTELIGENTA ARTIFICIALA
ARTIFICIAL INTELLIGENCE



DETECTIA OBSTACOLELOR PRIN RADAR
DETECTION OF OBSTACLES WITH RADAR



SISTEM DE RECUNOASTERE A IERBII
SMART GRASS



Procesoare de ultima generatie
Next generation processors



Tastatura & Led
Keypad & LED



Bluetooth



ZCS Connect
(optional)

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



RADAR pentru detectarea obstacolelor
RADAR for obstacle detection



Comenzi prin tastatura
Keypad commands



Lama de 18 cm
18 cm blade



Capac statie negru stralucitor
Shelter garage shiny black



AMICO
AMICO

P. 38

TWENTY

NEXTline





VIDEO



1.300 mp/sqm

Copilul noii generatii
The baby of the new generation



Un mini robot de tuns iarba, creat pentru a avea si mai putin impact asupra mediului si echipat cu cele mai avansate functii. Procesoarele de ultima generatie, motoarele fara perii, bateriile puternice si lama de 18 cm permit robotului sa gestioneze pana la 4 zone separate. Eficienta excelenta cu rezultate perfecte si rapide de la un robot care cantareste doar 7 kg si masoara 42 cm. Modelele Elite si Elite S+ sunt echipate cu modul de conectare care va permite sa gestionati, sa interactionati si sa monitorizati functiile robotului de la distanta.

A mini robotic lawnmower created to have even less impact on the environment and equipped with the most advanced features. The latest generation processors, brushless motors, powerful batteries and 18 cm blade allow the robot to manage up to 4 separate areas. Excellent efficiency with perfect and fast results from a robot weighing just 7 kg and measuring 42 cm. The Elite and Elite S+ models are equipped with connect module that allows you to manage, interact with and monitor the functions of the robot remotely.

TWENTY deluxe

700 mp/sqm

TWENTY elite

1.000 mp/sqm

TWENTY elite S+

1.300 mp/sqm



ZCS Connect (Elite e Elite S+)

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Procesoare de ultima generatie
Next generation processors



Bluetooth



Tastatura & Led
Keypad & LED



Control prin tastatura
Control keypad



Lama de 18 cm
18 cm blade



Roti posterioare din cauciuc
flexibil
Flex rubber rear wheels



Capac statie negru stralucitor
Shelter garage shiny black



AMICO
AMICO

P. 38



TWENTY 25

NEW



VIDEO

NEXTline

1.800 mp/sqm

Compact si fiabil, pentru gradini de dimensiuni medii
Compact and reliable, for medium-sized gardens



Gama inovatoare TWENTY a fost extinsa cu noul model TWENTY 25, conceput pentru gradini de dimensiuni medii. Cele doua modele din linie, Deluxe si Elite, sunt echipate cu tehnologie avansata care garanteaza performante ridicate robotului. Motoarele fara perii, bateriile puternice si o lama de 25 cm permit robotului sa gestioneze suprafete de pana la 1.800 mp.

The innovative TWENTY range has been extended with the brand new TWENTY 25 model, designed for medium-sized gardens. The two models in the line, Deluxe and Elite, are equipped with advanced technology that guarantees the robot high performance. Brushless motors, powerful batteries and a 25 cm blade allow the robot to manage areas of up to 1,800 sqm.

TWENTY 25 deluxe

1.400 mp/sqm

TWENTY 25 elite

1.800 mp/sqm



ZCS Connect (Elite)

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Procesoare de ultima generatie
Next generation processors



Bluetooth



Tastatura & Led
Keypad & LED



Tastatura & Led
Keypad & LED



Lama de 25 cm
25 cm blade



Roti posterioare din cauciuc
flexibil
Flex rubber rear wheels



Capac statie negru stralucitor
Shelter garage shiny black



AMICO
AMICO

P. 38

TWENTY 29

NEW



VIDEO

NEXTline

3.500 mp/sqm

Tehnologic avansat si de inalta performanta
Technologically advanced and high-performance



Gama inovatoare TWENTY a fost imbunatatita cu noul model TWENTY 29, conceput pentru zone verzi de dimensiuni medii pana la mari. Cele doua modele din linie, Deluxe și Elite, sunt echipate cu tehnologie avansata care confera robotului performanta ridicata. Motoarele fara perii, bateriile puternice si o lama de 29 cm permit robotului sa gestioneze suprafete de pana la 3.500 mp.

The innovative TWENTY range has been enhanced with the brand new TWENTY 29 model, designed for medium to large-sized green areas. The two models in the line, Deluxe and Elite, are equipped with advanced technology that grants the robot high performance. Brushless motors, powerful batteries and a 29 cm blade allow the robot to manage areas of up to 3,500 sqm.

TWENTY 29 deluxe

2.500 mp/sqm

TWENTY 29 elite

3.500 mp/sqm



ZCS Connect (Elite)

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Procesoare de ultima generatie
Next generation processors



Bluetooth



Tastatura & Led
Keypad & LED



Bara de protective
Bumper



Lama de 29 cm
29 cm blade



Roti posterioare din cauciuc flexibil
Flex rubber rear wheels



Capac statie negru stralucitor
Shelter garage shiny black



AMICO
AMICO

P. 38





Modelele 4.0 si 4.36 cu garantie de pana la 6 ani!

The 4.0 and 4.36 Ambrogio models with warranty up to 6 years!

Ambrogio 4.0 si 4.36 sunt echipate cu o noua platforma tehnologica, design futurist si structura articulata de ultima generatie, care le permite sa gestioneze mai bine terenul denivelat si sa se adapteze gradinilor de diferite forme si dimensiuni. Toate unitatile de alimentare vin cu baterii inteligente litiu-ion echipate cu tehnologie Bluetooth pentru a schimba informatii cu placa de baza, pentru a optimiza incarcarea si consumul de energie si pentru a monitoriza starea de sanatate a bateriei in sine. Alegerea unitatilor de alimentare aduce un upgrade masinii in sine: puterea bateriei si viteza de incarcare permit gestionarea gradinilor de diferite dimensiuni intr-un mod mai eficient, cu timpi de lucru mai lungi si timpi de incarcare mai scurti daca sunt asociate cu modelele Ambrogio 4.0 și 4.36.

Ambrogio 4.0 and 4.36 are equipped with a new technological platform, the futuristic design and state-of-the-art jointed structure, which allows them to manage uneven terrain in a better way and to adapt to gardens of different shapes and sizes. All the Power Units come with lithium-ion smart batteries equipped with Bluetooth technology to exchange information with the motherboard, to optimise charging and power consumption, and to monitor the state of health of the battery itself. The choice of the Power Units brings an upgrade to the machine itself: the battery power and charging speed allow to manage gardens of different sizes in a more efficient way with longer working times and shorter charging times if associated with the Ambrogio 4.0 and 4.36 models.

Power Unit LIGHT	Power Unit MEDIUM	Power Unit PREMIUM	Power Unit EXTRA PREMIUM	Power Unit ULTRA PREMIUM
Incarcare prin contact Contact charging Doar 4.0 Basic 4.0 Basic only	Incarcare prin contact Contact charging 4.0 Basic e Elite 4.0 Basic and Elite	Incarcare prin contact Contact charging 4.0 Basic e Elite 4.0 Basic and Elite	Incarcare prin inductie Inductive charging Doar 4.0 Elite 4.0 Elite only	Incarcare prin contact Contact charging Doar 4.36 Elite 4.36 Elite only
Baterie Battery				
2,9 Ah	5,8 Ah	8,7 Ah	8,7 Ah	10,35 Ah
Incarcator baterie Battery Charger				
2.0 A	5.0 A	8.0 A	8.0 A	10.0 A
Timp de lucru Working Time				
1:30 h	3:00 h 2:45 h 4.0 Basic 4.0 Elite	4:00 h 3:45 h 4.0 Basic 4.0 Elite	3:45 h	4:00 h
Timp de incarcare Recharging Time				
2:00 h	1:30 h	1:30 h	1:30 h	1:30 h

Garantie de pana la 6 ani

2 ani garantie

care acopera conditiile si limitarile mentionate in brosură de garantie

+

4 ani suplimentari

- la garantia care acopera componentele din plastic care nu sunt supuse uzurii si care prezinta defecte de fabricatie.
- la garantia care acopera componentele electronice, cu exceptia limitariilor specificate in brosură de garantie.
- la garantia care acopera motoarele de taiere si propulsie limitata la 5.000 de ore de functionare.

Pentru validarea prelungirii garantiei este obligatorie efectuarea de intretinere periodica de iarna, inregistrarea acestor servicii pe site-ul producatorului, solicitarea eliberarii si depunerea corespunzatoare a certificatelor relative, completate corespunzator.

Warranty up to 6 years

2 year warranty

covering the conditions and limitations stated in the warranty booklet

+

4 year extension

- to the warranty covering plastic components that are not subject to wear and tear that have manufacturing defects.
- to the warranty covering electronic components excluding the limitations specified in the warranty booklet.
- to the warranty covering cutting and propulsion motors limited up to 5,000 hours of operation.

To validate the warranty extension, it is mandatory to carry out regular winter servicing, to register such servicing on the manufacturer's website, to request the issuing and the appropriate filing of the relative, duly-completed certifications.

4.0 basic

NEXTline



VIDEO

2.200 mp/sqm*

Robotul articulatat care se transforma
The articulated robot that transforms itself



Modelul 4.0 Basic este ideal pentru cei care au nevoie de un robot simplu, de incredere, care se poate adapta la schimbari. Structura sa flexibila, dar solida si sigura permite instalarea a trei tipuri diferite de unitati de alimentare, care ii permit sa fie transformat dintr-un robot pentru gradini mici si medii (cu unitati de alimentare Light de pana la 1.000 m2 sau cu unitati de alimentare Medium de pana la 1.400 m2) la o solutie care acopera pana la 2.200 m2 (cu Power Unit Premium) cu o precizie extrema. Motoarele fara perii, rotile cu profil din cauciuc si barele de protectie moi completeaza caracteristicile unui robot inovator care raspunde tuturor nevoilor. Echipat cu un receptor Bluetooth care poate fi controlat independent de o aplicatie dedicata. Noul sau design permite, de asemenea, o autonomie mai mare: cu o punte proiectata in jurul lamei, ofera o autocuratare rapida si sigura.

The 4.0 Basic model is ideal for those who require a simple, reliable robot that can adapt to changes. Its flexible yet solid and safe structure enables the installation of three different types of Power Units, that allow it to be converted from a robot for small to medium-sized gardens (with Power Unit Light up to 1,000 sqm or with Power Unit Medium up to 1,400 sqm) to a solution that covers up to 2,200 sqm (with Power Unit Premium) with extreme accuracy. The brushless motors, rubber profile wheels and soft bumpers complete the characteristics of an innovative robot that meets all sort of needs. Equipped with a Bluetooth Receiver that can be independently controlled by a dedicated APP. Its new design also allows greater autonomy: with a deck engineered around the blade, it provides quick and safe self-cleaning.

Power Unit LIGHT



1.000*
mp/sqm

recomandat / suggested
800 mp / sqm

Power Unit MEDIUM



1.400*
mp/sqm

recomandat / suggested
1.200 mp / sqm

Power Unit PREMIUM



2.200*
mp/sqm

recomandat / suggested
1.800 mp / sqm



Incarcare prin contact
Contact charging



Procesoare de ultima generatie
Next generation processors



App Bluetooth
App Bluetooth



Baterii inteligente
Smart batteries



Roti din cauciuc
Rubber wheels



Tastatura & Led
Keypad & LED

* Platforma este proiectata pentru suprafete de lucru indicate, in conditii ideale de taiere: un teren plat, simplu, de forma dreptunghiulara, fara obstacole sau zone suplimentare si o viteza moderata de crestere a gazonului.

* The platform is designed for indicated work surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.



Articulat
Jointed



Auto-curatare
Self-cleaning



Tastatura & Led
Keypad & LED



Lama de 25 cm
25 cm blade



Roti dintate
Spike Wheel



Capac statie negru stralucitor
Shelter garage shiny black



ZDEFENCE

P. 38



4.0 elite

NEXTline



VIDEO

3.500 mp/sqm*

Super Inteligent, Super Flexibil... viitorul este deja aici!
Super Smart, Super Flex ... the future is already here!



Modelul combina flexibilitatea si modularitatea cu inovatia tehnologica 4.0. Este construit in jurul modului ZCS Connect care permite conectarea robotului oricand si oriunde, in siguranta totala. Este posibil sa opriți, porniti, excludeti zonele de taiat si monitorizati robotul printr-o simpla apasare a unui buton. Ambrogio 4.0 Elite poate fi combinat cu unitatile de putere Medium, Premium si Extra Premium cu o suprafata cuprinsa intre 2.200 și 3.500 mp. Kit-ul Extra Premium face posibila dotarea robotului cu reincarcarea inductiva care evita curatarea obisnuita a contactelor. Inaltimea lamei este usor de reglat, de fapt, este motorizata, facilitand astfel utilizarea robotului dumneavoastra. Tehnologia ZCS este mai usor de utilizat si mai interactiva: permitand gestionarea mai usoara a terenului intr-o maniera complet autonoma.

The model combines flexibility and modularity with 4.0 technological innovation. It is built around the ZCS Connect module that, enables the connection of the robot anytime and anywhere, in total safety. It is possible to stop, start, exclude areas to be cut and monitor the robot with a simple touch of a button. Ambrogio 4.0 Elite can be combined with the Medium, Premium and Extra Premium Power Units ranging between 2,200 and 3,500 sqm. The Extra Premium kit makes it possible to equip the robot with the inductive recharge that avoids the usual cleaning of the contacts. The blade height is easy to adjust, in fact, it is motorized, thus facilitating the use of your robot. The ZCS technology is more user-friendly and interactive: enabling the easier management of your lawn in a completely autonomous manner.

Power Unit MEDIUM



2.200
mp/sqm

consigliato / suggested
1.800 mp/sqm

Power Unit PREMIUM



3.500
mp/sqm

consigliato / suggested
3.200 mp/sqm

Power Unit EXTRA PREMIUM



3.500
mp/sqm

consigliato / suggested
3.200 mp/sqm

* Platforma este proiectata pentru suprafete de lucru indicate, in conditii ideale de taiere: un teren plat, simplu, de forma dreptunghiulara, fara obstacole sau zone suplimentare si o viteza moderata de crestere a gazonului.

* The platform is designed for work indicated surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.



ZCS Connect

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Procesoare de ultima generatie
Next generation processors



Baterii inteligente
Smart batteries



Lama motorizata
Blade motorisation



Articulat
Jointed



Auto-curatare
Self-cleaning




Roti din cauciuc
Rubber wheels



Ecran tactil
Touch Display



Ecran tactil
Touchscreen display



6 taisuri
6 cutter



Roti dintate
Spike Wheel



Capac statie negru stralucitor
Shelter garage shiny black



ZDEFENCE

P. 38

4.36 elite

NEXT line

6.000 mp/sqm

Puternic si articulat
Powerful and jointed



VIDEO



Bateria puternica si lama de 36 cm a modelului Ambrogio 4.36 Elite ii permit sa se ocupe de suprafete mari. Cu Kitul Power Unit ULTRA PREMIUM, robotul este capabil să lucreze peste 4 ore, pana la 6.000 mp. Vine echipat cu cele mai noi tehnologii (Ecran tactil, ZCS Connect, GPS, Bluetooth si GSM) si are o capacitate ridicata de a lucra in echipa cu alti roboti. De asemenea, este compatibil cu asistentii vocali (SMART ASSISTANT) si cu AMICO.

The powerful battery and the 36 cm blade of the Ambrogio 4.36 Elite model allow it to handle large areas. With the ULTRA PREMIUM Power Unit Kit, the robot is able to work for over 4 hours, up to 6,000 sqm. It comes highly equipped with all the latest technologies (Display Touch, ZCS Connect, GPS, Bluetooth and GSM), and has a high capability to work in a team with other robots. It is also compatible with voice assistants (SMART ASSISTANT) and with AMICO.

Power Unit ULTRA PREMIUM



6.000
mp/sqm



Sistem de taiere SDM (Satellite Dynamic Memory) Sistemul de navigatie prin satelit, bazat pe algoritmi avansati, permite robotului sa recunoasca zonele tocmai cosite. Robotul creeaza apoi harti virtuale si isi aminteste timpii de lucru folositi pentru fiecare zona, economisind timp si sporind eficienta.

SDM Cutting System (Satellite Dynamic Memory) The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



ZCS Connect

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Procesoare de ultima generatie
Next generation processors



Baterii inteligente
Smart batteries



Lama motorizata
Blade motorisation



Articulat
Jointed



Auto-curatare
Self-cleaning



Roti din cauciuc
Rubber wheels



Ecran tactil
Touch Display



Ecran tactil
Touchscreen display



Lama stelata cu 4 taisuri
4 point star blade



Roti dintate
Spike Wheel



Capac statie negru stralucitor
Shelter garage shiny black



ZDEFENCE

P. 38

QUAD elite

NEXTline


3.500 mp/sqm*

Peluze cu pante imposibile? Nicio problema, QUAD Elite este aici pentru tine.
Lawns with impossible slopes? No problem, QUAD Elite is here for you.



QUAD Elite, este robot de tuns iarba Ambrogio dedicat gradinilor cu pante de pana la 75%. Datorita tractiunii pe 4 roti (directionate electric) si a bateriei de 10 Ah, poate face fata urcusurilor si denivelarilor extrem de abrupte si, de asemenea, lucreaza eficient la marginea gradinii pe pante de pana la 65%. Nivelul sau ridicat de eficienta este posibil prin prezenta, pentru fiecare modul de actionare, a unui motor al rotii de tractiune care permite virarea in orice directie fara a efectua manevre riscante, chiar si pe pante abrupte. Dimensiunile compacte, de forma patrata (doar 53 cm) fac miscarile robotului placute atat pe teren plan, cat si pe teren denivelat. Manerele pozitionate pe cele 4 laturi il fac sigur si usor de transportat. QUAD Elite este echipat si cu un senzor RADAR special care permite robotului sa inteleaga si sa invete unde se afla obstacolele din gradina, fara a fi nevoie sa delimiteze zona cu firul perimetral. Mai putine socuri, mai multa siguranta, viata mai lunga a robotului!

QUAD Elite is the Ambrogio lawnmower robot model dedicated to gardens with slopes of up to 75%. Thanks to its 4 wheel drive (electrically steered) and 10 Ah battery, it can handle extremely steep climbs and bumps and also works efficiently on the edge of the garden on slopes of up to 65%. Its high level of efficiency is made possible by the presence, for each drive module, of a traction wheel motor that allows steering in any direction without performing risky manoeuvres, even on steep slopes. The compact, square-shaped dimensions (only 53 cm) make the robot's movements pleasant on both regular and uneven terrain. The handles positioned on the 4 sides make it safe and easy to transport. QUAD Elite is also equipped with a special RADAR sensor that allows the robot to understand and learn where obstacles are located in the garden, without having to delimit the area with the perimeter wire. Less shocks, more safety, longer robot life!



PANTE DE PANA LA 75%
SLOPES UP TO 75%



DETECTIA OBSTACOLELOR PRIN RADAR
DETECTION OF OBSTACLES WITH RADAR



4 ROTI MOTRICE SI VIRATOARE
4 DRIVING AND STEERING WHEELS



Ecran tactil
Touchscreen Display



RADAR pentru detectarea
obstacolelor
RADAR for obstacle detection



4 roti motrice si viratoare
*4 driving and steering
wheels*



Capac statie negru stralucitor
Shelter garage shiny black



AMICO
AMICO

P. 38



ZCS Connect

- Geographic localisation
- Geofence Alarm
- Go Away
- Go Home
- Smart Assistant



Procesoare de ultima generatie
Next generation processors



Baterii inteligente
Smart batteries



Lama motorizata
Blade motorisation



Ecran tactil
Touch Display



Sistem de taiere SDM (Satellite Dynamic Memory) Sistemul de navigatie prin satelit, bazat pe algoritmi avansati, permite robotului sa recunoasca zonele tocmai cosite. Robotul creeaza apoi harti virtuale si isi aminteste timpii de lucru folositi pentru fiecare zona, economisind timp si sporind eficienta.

SDM Cutting System (Satellite Dynamic Memory) *The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.*



NO LIMIT



DESCRIEREA MODELELOR	MODELS DESCRIPTION	TWENTY ZR	TWENTY Deluxe
PUTERE	POWER		
Suprafata maxima de taiere [mp] (-20%)*	Maximum cutting surface [sqm] (-20%)*	1.000	700
Tipul de motor	Motor type	Fara perii/Brushless	Fara perii/Brushless
Panta maxima admisa (%)	Max. permissible Slope (%)	45%	45%
Panta maxima (%)	Max. Slope (%)	35%	35%
Panta pe marginea exterioara a firul perimetral (%)	Slope on the outer edge or perimeter wire (%)	20%	20%
SISTEM DE TAIERE	CUTTING SYSTEM		
Tipul de lama	Blade Type	Lama stelata in 4 puncte / 4 Point Star Blade	Lama stelata in 4 puncte / 4 Point Star Blade
Latimea de taiere [cm]	Cutting Width [cm]	18	18
Inaltimea de taiere (min-max) [mm]	Cutting Height (min-max) [mm]	25-70	25-70
Ajustarea inaltimii de taiere	Cutting Height Adjustment	Manual	Manual
Taiere in spirala	Spiral Cutting System	Da/Yes	Da/Yes
Sistem de taiere "SDM"	"SDM" Cutting System	Nu/No	Nu/No
Sistem de taiere "+ Infinity"	"+ Infinity" Cutting System	Nu/No	Nu/No
Auto-nivelare	Self-Leveling	-	-
Eco Mode	Eco Mode	Da/Yes	Da/Yes
Senzor de ploaie	Rain Sensor	Da/Yes	Da/Yes
Zone gestionabile incluzand zona principala	Manageable Areas Including the Main	4	4
NAVIGATIE	NAVIGATION		
ZCS Modul conectare (GPS, GSM)	ZCS Connect Module (GPS, GSM)	Optional	Optional
CONTROLUL DISPOZITIVULUI	CONTROL DEVICES		
Interfata utilizatorului	User Interface	Tastatura & Led/Keypad & LED	Tastatura & Led/Keypad & LED
Control prin App	APP Control	Bluetooth	Bluetooth
Receptor Bluetooth	Bluetooth Receiver	Da/Yes	Da/Yes
Assistant Smart	Smart Assistant	Inclus in/Included in ZCS Connect	Inclus in/Included in ZCS Connect
AMICO	AMICO	Optional	Optional
SIGURANTA	SAFETY		
Cod PIN	Safety PIN	Cod PIN prin intermediul aplicatiei /PIN Code via APP	Cod PIN prin intermediul aplicatiei /PIN Code via APP
ECHIPAMENT STANDARD PENTRU INSTALARE	STANDARD EQUIPMENT FOR INSTALLATION		
Lungimea firului de perimetru [mt]	Perimeter Wire Length [mt]	50	0
Cuie de fixare	Fixing nails	40	20
Statie de incarcare	Charging Station	Da/Yes	Da/Yes
Capac pentru statie de incarcare	Recharging base cover	Optional	Optional
CARACTERISTICI	FEATURES		
Dimensiunea robotului (lxwxh)	Robot Size (lxwxh)	453x296x220	420X290X220 mm
Profilul rotilor	Wheel Profile	Cauciuc/Rubber	Cauciuc/Rubber
Nivel zgomot [dB(A)]	Sound power [dB(A)]	59	59
Nivel de protectie	Level of protection	IPx5	IPx5

Suprafata maxima sugerata de taiere mp (-20%)*	Maximum suggested cutting surface sqm (-20%)	1.000	700
Baterii litiu-ion (25,9V)	Lithium-Ion Battery (25,9V)	5,0Ah- 130Wh	2,5Ah-64Wh
Numarul de baterii	Quantity of batteries	1x5,0Ah	1x2,5 Ah
Timpul mediu de lucru [h] (+-20%)	Average Working Time [h] (+-20%)	04:00	02:00
Modul de incarcare	Recharge Mode	Contact	Contact
Incarcatorul de baterie	Battery Chargers	2,3A-68W	2,3A-68W
Greutate cu baterii incluse [Kg]	Weight with Batteries Incl. [Kg]	7,5	7,1

**mp referitor la performanta maxima a bateriilor. In functie de conditiile de iarba, gazon si complexitatea zonei de taiere.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



TWENTY Elite	TWENTY Elite S+	TWENTY 25 Deluxe	TWENTY 25 Elite	TWENTY 29 Deluxe	TWENTY 29 Elite
1.000	1.300	1.400	1.800	2.500	3.500
Fara perii/Brushless	Fara perii/Brushless	Fara perii/Brushless	Fara perii/Brushless	Fara perii/Brushless	Fara perii/Brushless
45%	45%	45%	45%	45%	45%
35%	35%	35%	35%	35%	35%
20%	20%	20%	20%	20%	20%
Lama stelata in 4 puncte / 4 Point Star Blade	Lama stelata in 4 puncte / 4 Point Star Blade	Lama stelata in 4 puncte / 4 Point Star Blade	Lama stelata in 4 puncte / 4 Point Star Blade	Lama stelata in 4 puncte / 4 Point Star Blade	Lama stelata in 4 puncte / 4 Point Star Blade
18	18	25	25	29	29
25-70	25-70	25-60	25-60	25-60	25-60
Manual	Manual	Manual	Manual	Automatic	Automatic
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Nu/No	Da/Yes	Nu/No	Da/Yes
Nu/No	Nu/No	Nu/No	Nu/No	Nu/No	Da/Yes
-	-	-	-	-	-
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
4	4	4	8	8	8
Da/Yes	Da/Yes	Optional	Da/Yes	Optional	Da/Yes
Tastatura & Led/Keypad & LED	Tastatura & Led/Keypad & LED	Tastatura & Led/Keypad & LED	Tastatura & Led/Keypad & LED	Tastatura & Led/Keypad & LED	Tastatura & Led/Keypad & LED
Bluetooth-GSM	Bluetooth - GSM	Bluetooth	Bluetooth - GSM	Bluetooth	Bluetooth - GSM
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Inclus in/Included in ZCS Connect	Da/Yes	Inclus in/Included in ZCS Connect	Da/Yes
Optional	Optional	Optional	Optional	Optional	Optional
PIN Code via App & Geofence	PIN Code via App & Geofence	Cod PIN prin intermediul aplicatiei /PIN Code via APP	PIN Code via App & Geofence	Cod PIN prin intermediul aplicatiei /PIN Code via APP	PIN Code via App & Geofence
0	0	0	0	0	0
20	20	20	20	20	20
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
Optional	Optional	Optional	Optional	Optional	Optional
420x290x220 mm	420x290x220 mm	534x263x386	534x263x386	534x263x386	534x263x386
Cauciuc/Rubber	Cauciuc/Rubber	Cauciuc/Rubber	Cauciuc/Rubber	Cauciuc/Rubber	Cauciuc/Rubber
59	59	60	60	63	63
IPx5	IPx5	IPx5	IPx5	IPx5	IPx5
1.000	1.300	1.400	1.800	2.500	3.500
2,5Ah-64Wh	5Ah - 130Wh	5,0Ah- 130Wh	5,0Ah- 130Wh	5,0Ah- 130Wh	10Ah - 260Wh
1x2,5 Ah	1x5,0 Ah	1x5,0Ah	1x5,0Ah	1x5,0Ah	2x5,0Ah
02:00	04:00	03:00	03:00	03:00	06:00
Contact	Contact	Contact	Contact	Contact	Contact
2,3A-68W	5,0A - 150W	2,3A - 68W	2,3A - 68W	5A -150W	8A- 235W
7,2	7,5	10	10	-	-



DESCRIEREA MODELELOR	MODELS DESCRIPTION	4.0 Basic		
PUTERE	POWER			
Suprafata maxima de taiere [mp] (-20%)*	Maximum cutting surface [sqm] (-20%)*	Unitate configurata pana la 2.200 mp/Driving unit set up to 2,200 sqm*		
Tipul de motor	Motor type	Fara perii/Brushless		
Panta maxima admisa (%)	Max. permissible Slope (%)	45%		
Panta maxima (%)	Max. Slope (%)	35%		
Panta pe marginea exterioara a firul perimetral (%)	Slope on the outer edge or perimeter wire (%)	20%		
SISTEM DE TAIERE	CUTTING SYSTEM			
Tipul de lama	Blade Type	Lama stelata in 4 puncte/4 Point Star Blade		
Latimea de taiere [cm]	Cutting Width [cm]	25		
Inaltimea de taiere (min-max) [mm]	Cutting Height (min-max) [mm]	20-65		
Ajustarea inaltimii de taiere	Cutting Height Adjustment	Manual		
Taiere in spirala	Spiral Cutting System	Da/Yes		
Sistem de taiere "SDM"	"SDM" Cutting System	Nu/No		
Sistem de taiere "+ Infinity"	"+ Infinity" Cutting System	Nu/No		
Auto-nivelare	Self-Levelling	Da/Yes		
Eco Mode	Eco Mode	Da/Yes		
Senzor de ploaie	Rain Sensor	Da/Yes		
Zone gestionabile incluzand zona principala	Manageable Areas Including the Main	4		
NAVIGATIE	NAVIGATION			
ZCS Modul conectare (GPS, GSM)	ZCS Connect Module (GPS, GSM)	Optional		
CONTROLUL DISPOZITIVULUI	CONTROL DEVICES			
Interfata utilizatorului	User Interface	Tastatura & Led/Keypad & LED		
Control prin App	APP Control	Bluetooth		
Receptor Bluetooth	Bluetooth Receiver	Da/Yes		
Assistant Smart	Smart Assistant	Inclus in/Included in ZCS Connect		
AMICO	AMICO	Optional		
ZDefence	ZDefence	Optional		
SIGURANTA	SAFETY			
Cod PIN	Safety PIN	Cauciuc flexibil /PIN Code via APP		
ECHIPAMENT STANDARD PENTRU INSTALARE	STANDARD EQUIPMENT FOR INSTALLATION			
Lungimea firului de perimetru [mt]	Perimeter Wire Length [mt]	0		
Cuie de fixare	Fixing nails	20		
Statie de incarcare	Charging Station	Da/Yes		
Capac pentru statie de incarcare	Recharging base cover	Optional		
CARACTERISTICI	FEATURES			
Dimensiunea robotului (lxwxh)	Robot Size (lxwxh)	635x464x300 mm		
Profilul rotilor	Wheel Profile	Cauciuc flexibil/Flex Rubber		
Nivel zgomot [dB(A)]	Sound power [dB(A)]	63		
Nivel de protectie	Level of protection	IPx5		

		Power Unit LIGHT	Power Unit MEDIUM	Power Unit PREMIUM
Suprafata maxima de taiere mp (-20%)	Maximum suggested cutting surface sqm (-20%)	800 mp	1.200 mp	1.800 mp
Baterii litiu-ion (25,9 V)	Lithium-Ion Battery (25,9V)	2.9Ah - 73Wh	5.8Ah - 146Wh	8.7Ah - 220Wh
Numarul de baterii	Quantity of batteries	1x2.9 Ah	1x5.8 Ah	1x8.7 Ah
Timpul mediu de lucru [h] (+-20%)	Average Working Time [h] (+-20%)	01:30	03:00	04:00
Modul de reincarcare	Recharge Mode	Contact	Contact	Contact
Incarcatorul de baterie	Battery Chargers	2.0A-60W	5.0A-150W	8.0A-235W
Greutate cu baterii incluse [Kg]	Weight with Batteries Incl. [Kg]	15,0	15,3	15,6

**mp referitor la performanta maxima a bateriilor. In functie de conditiile de iarba, gazon si complexitatea zonei de taiere.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



4.0 Elite		4.36 Elite		QUAD	
Unitate configurata pana la 3.500 mp /Driving unit set up to 3.500 sqm*		6.000		3.500	
Fara perii/Brushless		Fara perii/Brushless		4WD Fara perii/4WD Brushless	
45%		45%		75%	
35%		35%		70%	
20%		20%		65%	
6 cuttere/6cutters		Lama stelata in 4 puncte/4 Point Star Blade		Lama stelata in 4 puncte/4 Point Star Blade	
25		36		29	
20-65		20-65		25-70	
Automatic		Automatic		Automatic	
Da/Yes		Da/Yes		Da/Yes	
Da/Yes		Da/Yes		Da/Yes	
Da/Yes		Da/Yes		Da/Yes	
Da/Yes		Da/Yes		Da/Yes	
Da/Yes		Da/Yes		Da/Yes	
Da/Yes		Da/Yes		Da/Yes	
8		8		8	
Da/Yes		Da/Yes		Da/Yes	
Ecran tactil/Touchscreen Display		Ecran tactil/Touchscreen Display		Ecran tactil/Touchscreen Display	
Bluetooth-GSM		Bluetooth-GSM		Bluetooth/GSM	
Da/Yes		Da/Yes		Da/Yes	
Da/Yes		Da/Yes		Da/Yes	
Optional		Optional		Optional	
Optional		Optional		-	
PIN & Geofence		PIN & Geofence		PIN & Geofence	
0		0		0	
20		20		20	
Da/Yes		Da/Yes		Da/Yes	
Optional		Optional		Optional	
635x464x330 mm		784x536x330 mm		533x533x333	
Cauciuc flexibil/Flex Rubber		Cauciuc flexibil/Flex Rubber		Cauciuc/Rubber	
63		65		63	
IPx5		IPx5		IPx5	

Power Unit MEDIUM	Power Unit PREMIUM	Power Unit EXTRA PREMIUM	Power Unit ULTRA PREMIUM	
1.800 mp	3.200 mp	3.200 mp	6.000 mp	3.500 mp
5.8Ah - 146Wh	8.7Ah - 220Wh	8.7Ah - 220Wh	10.35Ah - 260 Wh	10Ah - 260Wh
1x5.8 Ah	1x8.7 Ah	1x8.7 Ah	1x10.35 Ah	2x5,0Ah
02:45	03:45	03:45	04:00	02:30
Contact	Contact	Inductie/Inductive	Contact	Contact
5.0A-150W	8.0A-235W	8.0A-235W	10.0A-300W	8A- 235W
15,5	15,8	15,8	18	18,5



GAMA

RANGE

PROline



Love your Smart Garden

L250i

PROline



VIDEO


5.000 mp/sqm

Interactiv si Intelligent
Interactive and Smart



Cele doua modele L250i - Elite si Elite S+ - sunt o concentrare de inovatie si tehnologie. Ecranul tactil, sistemele avansate de navigatie si modulul standard ZCS Connect fac robotii extrem de eficienti si inovatori. Compatibil cu majoritatea asistentilor vocali (SMART ASSISTANT) pentru o interactiune completa cu robotul.

The two L250i models - Elite and Elite S+ - are a concentration of innovation and technology. The touchscreen display, the advanced navigation systems and standard ZCS Connect module make the robots extremely efficient and innovative. Compatible with most voice assistants (SMART ASSISTANT) for a complete interaction with the robot.



L250i ELITE
3.200 mp/sqm

Baterie litiu-ion de 7,5 Ah
7,5 Ah lithium-ion

Taiere continua*
Continuous cutting*

Timp liber in gradina
Free Garden Time

L250i ELITE S+
5.000 mp/sqm

Baterie litiu-ion de 7,5 Ah
7,5 Ah lithium-ion

Taiere continua*
Continuous cutting*

Timp liber in gradina
Free Garden Time



Motoare fara perii de inalta eficienta
High efficiency brushless motors



Rotile posterioare flexibile Pentru aderenta excelenta pe toate tipurile de teren, chiar si pe suprafete umede.
Flex rear wheels For excellent grip on all types of terrain, even on wet surfaces.



Gestioneaza pana la 8 zone separate
Manage up to 8 separate areas



Rotile fata patentate Se misca independent unele de altele, mentinand in acelasi timp performante ridicate de taiere chiar si pe teren neregulat si denivelat.
Patented front wheels They move independently from each other, while maintaining high cutting performances even an irregular and uneven terrain.



Pante de pana la 45%
Slopes up to 45%



Sistem de taiere SDM (Satellite Dynamic Memory) Sistemul de navigatie prin satelit, bazat pe algoritmi avansati, permite robotului sa recunoasca zonele tocmai cosite. Robotul creeaza apoi harti virtuale si isi aminteste timpurile de lucru folosite pentru fiecare zona, economisind timp si sporind eficienta.
SDM Cutting System (Satellite Dynamic Memory) The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



Ecran tactil
Touchscreen Display



Lama stelata cu 4 taisuri
4 point star blade



Roti posterioare din cauciu flexibil
Flex rubber rear wheel



Roti dintate
Spike Wheel

Capac statie negru stralucitor
Shelter garage shiny black

*Ciclurile de lucru variaza in raport cu amplitudinea si cu caracteristicile zonei. / The work cycles vary in relation to the amplitude and to the characteristics of the area.



L400i

PROline





VIDEO


20.000 mp/sqm

Puternic si elegant, pentru suprafete foarte mari
Powerful and elegant, for very large areas




Un robot puternic, cu un design atractiv tipic produselor italiene, care poate gestiona gradini de pana la 20.000 mp, chiar si cele cu mai multe zone separate. Cele doua modele sunt echipate si cu modulul ZCS Connect pentru a se conecta si a interactiona cu Ambrogio oricand si oriunde.

A powerful robot with an attractive design typical of Italian products, which can manage gardens up to 20,000 sqm, even those with multiple separate areas. The two models are also equipped with the ZCS Connect module to connect and interact with Ambrogio any time and anywhere.




L400i B
10.000 mp/sqm

L400i DELUXE
20.000 mp/sqm


 **Motoare fara perii de inalta eficienta**
High efficiency brushless motors

 **Ajustarea inaltimei de taiere motorizata**
Motorised blade adjustment


 **Gestioneaza pana la 8 zone separate**
Manage up to 8 separate areas

 **Taiere perfecta chiar si pe zone denivelate**
Perfect cut even on uneven ground

 **Pante de pana la 45%**
Slopes up to 45%

 **Rotile posterioare flexibile** Pentru aderenta excelenta pe toate tipurile de teren, chiar si pe suprafete umede.
Flex rubber rear wheel For excellent grip on all types of terrain, even on wet surfaces.

 **Baterii puternice litiu-ion**
Powerful lithium-ion batteries

 **Sistem de taiere SDM (Satellite Dynamic Memory)** Sistemul de navigatie prin satelit, bazat pe algoritmi avansati, permite robotului sa recunoasca zonele tocmai cosite. Robotul creeaza apoi harti virtuale si isi aminteste timpurile de lucru folosite pentru fiecare zona, economisind timp si sporind eficienta.
SDM Cutting System (Satellite Dynamic Memory) The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



Ecran tactil
Touchscreen Display



Lama stelata cu 4 taisuri
4 point star blade



Roti din cauciuc flexibil
Flex rubber wheel



Carcasa usoara si robusta din carbon
Lightweight and robust carbon cover



AMICO
 AMICO

P. 38



DESCRIEREA MODELELOR	MODELS DESCRIPTION	L250i Elite
PUTERE	POWER	
Suprafata maxima de taiere [mp] (-20%)*	Maximum cutting surface [sqm] (-20%)*	3.200
Tipul de motor	Motor type	Fara perii/Brushless
Baterii litiu-ion (25,9 V)	Lithium-Ion Battery (25,9V)	1x7,5 Ah
Panta maxima admisa (%)	Max permissible Slope (%)	45%
Panta maxima (%)	Max. Slope (%)	35%
Panta pe marginea exterioara a firul perimetral (%)	Slope on the outer edge or perimeter wire (%)	20%
Timpul mediu de lucru [h] (+-20%)	Average Working Time [h] (+-20%)	03:30
Modul de reincarcare	Recharge Mode	Contact
SISTEM DE TAIERE	CUTTING SYSTEM	
Tipul de lama	Blade Type	Lama stelata in 4 puncte/4 Point Star Blade
Latimea de taiere [cm]	Cutting Width [cm]	29
Inaltimea de taiere (min-max) [mm]	Cutting Height (min-max) [mm]	25-70
Ajustarea inaltimii de taiere	Cutting Height Adjustment	Manual
Taiere in spirala	Spiral Cutting System	Da/Yes
Sistem de taiere "SDM"	"SDM" Cutting System	Da/Yes
Sistem de taiere "+ Infinity"	"+ Infinity" Cutting System	Da/Yes
Auto-nivelare	Self-Levelling	Da/Yes
Eco Mode	Eco Mode	Da/Yes
Senzor de ploaie	Rain Sensor	Da/Yes
Zone gestionabile incluzand zona principala	Manageable Areas Including the Main	8
NAVIGATIE	NAVIGATION	
ZCS Modul conectare (GPS, GSM)	ZCS Connect Module (GPS, GSM)	Da/Yes
CONTROLUL DISPOZITIVULUI	CONTROL DEVICES	
Interfata utilizatorului	User Interface	Ecran tactil/Touchscreen Display
Control prin App	APP Control	Bluetooth-GSM
Receptor Bluetooth	Bluetooth Receiver	Da/Yes
Assistant Smart	Smart Assistant	Da/Yes
AMICO	AMICO	Optional
SIGURANTA	SAFETY	
Cod PIN	Safety PIN	Pin & Geofence
ECHIPAMENT STANDARD PENTRU INSTALARE	STANDARD EQUIPMENT FOR INSTALLATION	
Lungimea firului de perimetru [m]	Perimeter Wire Length [m]	0
Cuie de fixare	Fixing nails	20
Statie de incarcare	Charging Station	Da/Yes
Capac pentru statie de incarcare	Recharging base cover	Optional
CARACTERISTICI	FEATURES	
Greutate cu baterii incluse [Kg]	Weight with Batteries Incl. [Kg]	15,3
Dimensiunea robotului (lxwxh)	Robot Size (lxwxh)	580x500x290 mm
Profilul rotilor	Wheel Profile	Cauciuc flexibil/Flex Rubber
Nivel zgomot [dB(A)]	Sound power [dB(A)]	63
Nivel de protectie	Level of protection	IPx4

**mp referitor la performanta maxima a bateriilor. In functie de conditiile de iarba, gazon si complexitatea zonei de taiere.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



L250i Elite S+	L400i B	L400i Deluxe
5.000	10.000	20.000
Fara perii/Brushless	Fara perii/Brushless	Fara perii/Brushless
2x7,5 Ah	2x15Ah	4x15Ah
45%	45%	45%
35%	35%	35%
20%	20%	20%
07:00	06:00	11:00
Contact	Contact	Contact
Lama stelata in 4 puncte/4 Point Star Blade	Lama stelata in 4 puncte/4 Point Star Blade	Lama stelata in 4 puncte/4 Point Star Blade
29	84 (3 lame)/84 (3 discs)	84 (3 lame)/84 (3 discs)
25-70	25-70	25-70
Manual	Automatic	Automatic
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
Da/Yes	-	-
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
8	8	8
Da/Yes	Da/Yes	Da/Yes
Ecran tactil/Touchscreen Display	Ecran tactil/Touchscreen Display	Ecran tactil/Touchscreen Display
Bluetooth-GSM	Bluetooth-GSM	Bluetooth-GSM
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
Optional	Optional	Optional
Pin & Geofence	Pin & Geofence	Pin & Geofence
0	0	0
20	100	100
Da/Yes	Da/Yes	Da/Yes
Optional	-	-
16,2	45	49
580x500x290 mm	1.200x977x372 mm	1.200x977x372 mm
Cauciuc flexibil/Flex Rubber	Cauciuc flexibil/Flex Rubber	Cauciuc flexibil/Flex Rubber
63	69	69
IPx4	IP44	IP44




GAMA

RANGE

GREENline

Enjoy your Time



L60

GREENline



VIDEO

400 mp/sqm

Simple, fara instalare, pentru suprafete mici
Simple, no installation for small areas

DISPONIBIL SI PENTRU VANZARI ONLINE
ALSO AVAILABLE FOR ONLINE SALES



Receptor Bluetooth + App
Bluetooth Receiver + App

ZCS Connect (Optional)
ZCS Connect (Optional)



FARA Instalare
FARA fir de perimetru

NO installation
NO perimeter wire!



Pastrarea gradinilor mici in stare impecabila nu a fost niciodata mai usoara cu robotul Ambrogio L60, conceput pentru gradini rezidentiale de pana la 400 m2. Cele 2 modele - Elite si Elite S+ - sunt ideale pentru cei care isi doresc un gazon perfect cosit, fara a fi nevoie sa instaleze fire perimetrare. Usurinta de utilizare a robotului permite sa fie pus in functiune imediat si transportat in mai multe zone si diferite gradini. Aplicatia Ambrogio Remote permite gestionarea si actualizarea robotului.

Keeping small gardens in pristine condition has never been easier with the Ambrogio Robot L60, designed for residential gardens up to 400 sqm. The 2 models - Elite and Elite S+ - are ideal for those who want a perfectly mowed lawn, without the need to install perimeter wires. The robot's ease of use allows them to be put into service immediately and transported across multiple areas and different gardens. The Ambrogio Remote APP allows managing and updating the robot.

L60 ELITE
200 mp/sqm

5 Ah litiu-ion - 5 Ah lithium-ion

L60 ELITE S+
400 mp/sqm

7,5 Ah litiu-ion - 7,5 Ah lithium-ion



Usor si portabil
Lightweight and portable



Senzor Mod Eco Pentru a recunoaste zonele cosite astfel incat timpul de lucru sa fie redus. Astfel robotu nu se uzeaza si nu lasa urme pe gazon.

Eco Mode Sensor To recognise the mowed areas so that the working time is reduced. This way the robot and the turf do not wear out.



Pante de pana la 50%
Slopes up to 50%



Receptor Bluetooth Pentru a transfera actualizari de software de pe Smartphone/Tableta la robot si pentru a utiliza aplicatia Ambrogio Remote de pe iOS si Android..

Bluetooth Receiver To transfer software updates from Smartphone/Tablet to the robot and to use the Ambrogio Remote APP from iOS and Android.



Tractiune pe 4 roti
Four wheel drive



Senzor ZGS Senzorul ZGS (Zucchetti Grass Sensor) detecteaza prezenta ierbi si permite robotului sa recunoasca orice gropi sau spatii goale, chiar si fara ca un fir perimetral sa delimiteze zona.

ZGS Sensor The ZGS (Zucchetti Grass Sensor) sensor detects the presence of grass and allows the robot to recognise any holes or empty spaces, even without a perimeter wire marking off the area.



Punct de incarcare
Charging Point



Comenzi prin tastatura
Keypad commands



Lama si Senzor ZGS
Blade and ZGS Sensor



Bara de protectie si senzor de obstacol
Bumper and obstacle sensor



AMICO
AMICO

P. 38



L15 DELUXE

GREENline



VIDEO

600 mp/sqm

Mic, curajos si unic
Small, gutsy and unique

DISPONIBIL SI PENTRU VANZARI ONLINE
ALSO AVAILABLE FOR ONLINE SALES



Receptor Bluetooth + App
Bluetooth Receiver + App

ZCS Connect (Optional)
ZCS Connect (Optional)



Modelul L15 Deluxe este mic, usor, usor de transportat, silentios si vine cu un design futurist. A fost creat pentru gradinile mici care au nevoie de o taiere impecabila a ierbi si un sistem de instalare usor. Ciclurile de lucru eficiente permit acoperirea completa a zonei intr-un mod rapid si precis. In plus, procesoarele de ultima generatie, motoarele fara perii, bateriile litiu-ion si lama de 18 cm permit robotului Ambrogio L15 Deluxe sa gestioneze pana la 4 zone separate. Echipat cu conectivitate Bluetooth, robotul poate fi programat si gestionat prin intermediul aplicatiei Ambrogio Remote. Ambrogio L15 Deluxe este perfect pentru cei care isi doresc un robot simplu, fara a sacrifica tehnologia inalta, totul inchis in doar 42 cm si nu mai mult de 7 kg!

The L15 Deluxe model is small, light, easily transportable, silent, and comes with a futuristic design. It was created for small gardens which need a flawless cutting of the grass and easy installation system. The efficient work cycles allow full coverage of the area in a rapid and accurate way. In addition, state-of-the-art processors, brushless motors, lithium-ion batteries and 18 cm blade allow the Ambrogio L15 Deluxe robot to manage up to 4 separate areas. Equipped with Bluetooth connectivity, the robot can be programmed and managed via the Ambrogio Remote APP. Ambrogio L15 Deluxe is perfect for those who want a simple robot, without sacrificing high technology, all enclosed in only 42 cm and no more than 7 kg!



Motoare fara perii de inalta eficienta
High efficiency brushless motors



Senzor Mod Eco Pentru a recunoaste zonele cosite astfel incat timpul de lucru sa fie redus. Astfel robotul nu se uzeaza si nu lasa urme pe gazon.

Eco Mode Sensor To recognise the mowed areas so that the working time is reduced. This way the robot and the turf do not wear out.



Gestioneaza pana la 4 zone diferite
Manage up to 4 separate areas



Tastatura & Led
Keypad & LED



Receptor Bluetooth Pentru a transfera actualizari de software de pe Smartphone/Tableta la robot si pentru a utiliza aplicatia Ambrogio Remote de pe iOS si Android.

Bluetooth Receiver To transfer software updates from Smartphone/Tablet to the robot and to use the Ambrogio Remote APP from iOS and Android.



Comenzi prin tastatura
Keypad commands



Lama de 18 cm
18 cm blade



Roti posterioare din cauciuc
flexibil
Flex rubber rear wheels



Capac statie negru stralucitor
Shelter garage shiny black



AMICO
AMICO

P. 38

L32 DELUXE



VIDEO

GREENline

800 mp/sqm

Compact si efficient pentru gradini complexe
Compact and efficient for complex gardens

DISPONIBIL SI PENTRU VANZARI ONLINE
ALSO AVAILABLE FOR ONLINE SALES



Receptor Bluetooth + App
Bluetooth Receiver + App

ZCS Connect (Optional)
ZCS Connect (Optional)



L32 Deluxe a fost creat pentru a taia gradini mici, dar complexe, cu spatii de manevra inguste si inguste. Motoarele fara perii si sistemul inovator de taiere permit robotului sa acopere terenuri neuniforme. Aplicatia Ambrogio Remote permite gestionarea si actualizarea robotului.

The L32 Deluxe was created to cut small, but complex gardens with narrow and tight maneuvering spaces. The brushless motors and innovative cutting system allows the robot to cover uneven ground. The Ambrogio Remote APP allows managing and updating the robot.



Motoare fara perii de inalta eficienta
High efficiency brushless motors



Pante de pana la 45%
Slopes up to 45%



Tastatura & Led
Keypad & LED



Senzor Mod Eco Pentru a recunoaste zonele cosite astfel incat timpul de lucru sa fie redus. Astfel robotul nu se uzeaza si nu lasa urme pe gazon.
Eco Mode Sensor To recognise the mowed areas so that the working time is reduced. This way the robot and the turf do not wear out.



Gestioneaza pana la 4 zone diferite
Manage up to 4 separate areas



Ricevitore Bluetooth Pentru a transfera actualizari de software de pe Smartphone/Tableta la robot si pentru a utiliza aplicatia Ambrogio Remote de pe iOS și Android.
Bluetooth Receiver To transfer software updates from Smartphone/Tablet to the robot and to use the Ambrogio Remote APP from iOS and Android.



Tastatura & Led
Keypad & LED



Lama stelata cu 4 taisuri
4 point star blade



Roti dintate
Spike Wheel



Capac statie negru stralucitor
Shelter garage shiny black



Capac statie aspect carbon
Shelter garage carbon look

P. 38





DESCRIEREA MODELELOR	MODELS DESCRIPTION	L60 Elite	L60 Elite S+	L15 Deluxe	L32 Deluxe
PUTERE	POWER				
Suprafata maxima de taiere [mp] (-20%)*	Maximum cutting surface [sqm] (-20%)*	200	400	600	800
Tipul de motor	Motor Type	Fara perii /Brushless		Fara perii /Brushless	Fara perii /Brushless
Baterii litiu-ion (25,9 V)	Lithium-Ion Battery (25,9V)	1x5,0 Ah	1x7,5 Ah	1x2,5 Ah	1x2,5 Ah
Panta maxima admisa (%)	Max permissible Slope (%)	50%		45%	45%
Panta maxima (%)	Max. Slope (%)	40%		35%	35%
Panta pe marginea exterioara a firul perimetral (%)	Slope on the outer edge or perimeter wire (%)	-		20%	20%
Timpu mediu de lucru [h] (+-20%)	Average Working Time [h] (+-20%)	02:00	03:00	02:00	01:00
Modul de reincarcare	Recharge Mode	Manual		Contact	Contact
SISTEM DE TAIERE	CUTTING SYSTEM				
Tipul de lama	Blade Type	Lama stelata in 4 puncte /4 Point Star Blade		Lama stelata in 4 puncte /4 Point Star Blade	Lama stelata in 4 puncte /4 Point Star Blade
Latimea de taiere [cm]	Cutting Width [cm]	25		18	25
Inaltimea de taiere (min-max) [mm]	Cutting Height (min-max) [mm]	42-48		25-70	25-60
Taiere in spirala	Spiral Cutting Method	-		Da/Yes	Da/Yes
Senzor ZGS (larba / Cadere in gol)	ZGS Sensors (Grass /Drop Off)	Da/Yes		-	-
Eco Mode	Eco Mode	Da/Yes		Da/Yes	Da/Yes
Senzor de ploaie	Rain Sensor	Nu/No		Da/Yes	Da/Yes
Zone gestionabile incluzand zona principala	Manageable Areas Including the Main	1		4	4
NAVIGATIE	NAVIGATION				
ZCS Modul conectare (GPS, GSM)	ZCS Connect Module (GPS, GSM)	Optional		Optional	Optional
CONTROLUL DISPOZITIVULUI	CONTROL DEVICES				
Interfata utilizatorului	User Interface	Tastatura & Led/Keypad & LED		Tastatura & Led/Keypad & LED	Tastatura & Led/Keypad & LED
Control prin App	APP Control	Bluetooth		Bluetooth	Bluetooth
Receptor Bluetooth	Bluetooth Receiver	Da/Yes		Da/Yes	Da/Yes
Assistant Smart	Smart Assistant	Inclus in/Included in ZCS Connect		Inclus in/Included in ZCS Connect	Inclus in/Included in ZCS Connect
AMICO	AMICO	Optional		Optional	Optional
SIGURANTA	SAFETY				
Cod PIN	Safety PIN	Cod PIN prin intermediul Aplicatiei / PIN Code via APP		Cod PIN prin intermediul Aplicatiei /PIN Code via APP	Cod PIN prin intermediul Aplicatiei /PIN Code via APP
ECHIPAMENT STANDARD PENTRU INSTALARE	STANDARD EQUIPMENT FOR INSTALLATION				
Lungimea firului de perimetru [mt]	Perimeter Wire Length [mt]	Nu e necesar/Not necessary		100	100
Cuie de fixare	Fixing nails	Nu e necesar/Not necessary		100	100
Statie de incarcare	Charging Station	-		Da/Yes	Da/Yes
Capac pentru statie de incarcare	Recharging Base Cover	-		Optional	Optional
CARACTERISTICI	FEATURES				
Greutate cu baterii incluse [Kg]	Weight with Batteries Incl. [Kg]	8,3	8,6	7,1	10,7
Dimensiunea robotului (lxwxh)	Robot Size (lxwxh)	440x360x200 mm		420x290x220 mm	540x450x252 mm
Nivel zgomot [dB(A)]	Sound Power [dB(A)]	65		59	59
Nivel de protectie	Level of protection	IPx4		IPx5	IPx4

**mp referitor la performanta maxima a bateriilor. In functie de conditiile de iarba, gazon si complexitatea zonei de taiere.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



TEHNOLOGIE *TECHNOLOGY*

Robotul Ambrogio este un produs avansat tehnologic : Aplicatia si modulul ZCS Connect pentru monitorizarea si gestionarea robotului chiar de la distanta, inovator ZCS Inside+ pe modele destinate si pietei profesionale si sisteme avansate de taiere, cu +InfinitySystem.

Ambrogio robot is a technologically advanced product: APP and ZCS Connect module to monitor and manage the robot even remotely, innovative ZCS Inside+ on models also intended for the professional market and advanced cutting systems, with the +InfinitySystem.



SMART & *GREEN*

Robotul Ambrogio este un produs ecofriendly, respectand mediul si animalele de companie.

Ambrogio robot is an ecofriendly product, respecting the environment and pets.



ACCESORII *ACCESSORIES*

O gama completa de accesorii pentru a va mentine robotul Ambrogio la cele mai inalte standarde.

A complete range of accessories to keep your Ambrogio robot at its best.



TEHNOLOGIE
TECHNOLOGY



**Conectat
Connected**

**Inovator
Innovative**

Robotul Ambrogio vorbeste limba viitorului *Ambrogio robot speaks the language of the future*



Prin intermediul **aplicatiei Ambrogio Remote**, este posibil sa controlati robotul si sa descarcati manualele.

*Through the **Ambrogio Remote APP**, it is possible to control the robot and download manuals*



Smart Assistant

Pentru a gestiona robotul prin comenzi vocale*
*To manage the robot via voice commands**



Geographic localisation

Pentru a localiza robotul pe o harta
To locate the robot on a map



Geofence alarm

Dispozitiv anti-furt
Anti-theft device



Go away

Excluderea unei anumite zone din gradina
Exclusion of specifics garden areas



Go Home

Pentru a trimite robotul la statia de incarcare
To send the robot to the recharging base

Modulo Connect **

Funcțiile disponibile pentru L60 sunt: Monitorizarea de la distanta a starii robotului | Primiti notificari in caz de eroare | Primirea notificarilor Geofence | Opriti robotul

The functions available for the L60 are: Remote monitoring of the robot status | Receive notifications in case of error | Receiving Geofence notifications | Stop the robot

*Robotul Ambrogio poate comunica cu diferiti asistenti vocali ai platformelor majore (Siri, Google Home si Alexa). Pentru comenzi specifice, va rugam sa consultati ghidurile relevante.

*Ambrogio robot can communicate with the various voice assistants of the major platforms (Siri, Google Home and Alexa). For specific commands, please refer to the relevant guides.

**Modulul necesita acoperire si o conexiune de transfer de date a rețelei tarii dumneavoastra. Contactati dealer-ul dumneavoastra pentru a va informa despre frecventele necesare si pentru a verifica cerintele de operare din tara dumneavoastra. Trafic de date gratuit timp de doi ani. Reinnoibil la expirare.

**The module requires coverage and a data transfer connection of your country's network. Contact your dealer to inquire about the necessary frequencies and to verify the operating requirements in your country. Free data traffic for two years. Renewable upon expiry.




Scanati fotografia cu aplicatia Ambrogio Remote pentru a vedea videoclipul
Scan the photo with the Ambrogio Remote APP to see the video





ZCS i INNOVATIVE INSIDE



ZCS CONNECT*

Conectati-va si interactionati cu robotul oricand si oriunde (cu propriul smartphone sau tableta). Folosind aplicatia Ambrogio Remote, este posibil sa configurati profilurile de timp ale robotului, sa verificati locatia (localizare geografica), sa izolati si/sau sa lucrati in anumite zone ale gradinii (Go Away), sa monitorizati starea robotului si sa primiti alerte atunci cand iese din gradina (Alarma Geofence, un sistem antifurt evoluat). Datorita functiilor Go Home si Work Now, este posibil sa fortati robotul sa revina la statia de incarcare sau sa lucreze in gradina.

*Modulul necesita acoperire si o conexiune de transfer de date a retelei tarii dumneavoastra. Contactati dealer-ul dumneavoastra pentru a va informa despre frecventele necesare si pentru a verifica cerintele de operare din tara dumneavoastra. Trafic de date gratuit timp de doi ani. Reinnoibil la expirarea.

Connect and interact with the robot any time and anywhere (with your own smartphone or tablet). By using the Ambrogio Remote App it is possible to set up the robot time profiles, verify location (geo localisation), isolate and/or work on specific areas of the garden (Go Away), monitor the status of the robot and receive alerts when it comes out of the garden (Geo fence alarm, an evolved anti-theft system). Thanks to the Go Home and Work Now functions, it is possible to force the robot to return to the charging station or to work in the garden.

**The module requires coverage and a data transfer connection of your country's network. Contact your dealer to inquire about the necessary frequencies and to verify the operating requirements in your country. Free data traffic for two years. Renewable upon expiry.*



SMART ASSISTANT

Modelele echipate cu ZCS Connect pot interactiona cu utilizatorul datorita noii functii SMART ASSISTANT (compatibila cu Siri, Google Home si Alexa). Functia SMART ASSISTANT va permite sa trimiteti comenzi vocale; sa cereti informatii despre functionarea robotului precum si statisticile de lucru.

The models equipped with ZCS Connect can interact with the user thanks to the new SMART ASSISTANT function (compatible with Siri, Google Home and Alexa). The SMART ASSISTANT function allows you to send voice commands; ask for information on the functioning of the robot as well as the working statistics.



BLUETOOTH

Tehnologia de comunicare care permite actualizarea software-ului si conducerea robotului de la distanta apropiata.

The communication technology that allows updating the software and driving the robot at close range.



PLACA DE BAZA INOVATIVA

Placa de baza de ultima generatie cu procesoare mai rapide, capabila sa proceseze mai multe date mai eficient si cu un consum mai mic de energie.

Latest generation motherboard with faster processors, able to process more data more efficiently and with less power usage.



ECRAN TACTIL

Afisajul tactil interactiv si intuitiv permite interactiunea cu interfața grafica a sistemului de operare prin simpla atingere a ecranului cu degetele, fara a fi nevoie sa folositi taste fizice.

The interactive and intuitive touch display allows interacting with the graphic interface of the operating system by simply touching the screen with your fingers, without having to use physical keys.



Pentru a gestiona suprafete mari intr-un mod inteligent si integrat

To Manage large areas in an intelligent and integrated way

Sistemul de navigatie inovator care permite mai multor roboti sa gestioneze o zona simultan, intr-un mod inteligent si integrat.

+INFINITYSYSTEM*, prin tehnologiile Cloud si ZCS Connect, creeaza o harta virtuala partajata in mod constant asupra zonei care urmeaza sa fie cosita. Harta partajata permite robotilor sa cunoasca micro zonele deja taiate optimizand timpul de lucru, fara a neglija nicio zona si cu precizie maxima.

Robotii echipati cu +INFINITYSYSTEM au capacitatea de a se reajusta pentru a lucra in zone care si-au marit suprafata in timp. Zonele exterioare care devin „curti” pot fi gestionate intr-o combinatie perfecta cu toate celelalte spatii verzi.

Sistemul + INFINITYSYSTEM este recomandat pentru intretinerea spatiilor medii/mari pana la suprafete foarte mari precum terenuri de sport, aerodromuri si terenuri de golf.

The innovative navigation system that allows several robots to manage an area simultaneously, in a smart and integrated way.

+INFINITYSYSTEM*, through the Cloud technologies and ZCS Connect, creates a constantly shared virtual map on the area to be mowed. The shared map allows robots to know the already cut micro areas optimising the working time, without neglecting any area and with maximum precision.

The robots equipped with +INFINITYSYSTEM have the ability to readjust themselves to work in areas that have increased their surface over time. External areas which become “yards” can be managed in a perfect combination with all the other green spaces.

The + INFINITYSYSTEM system is recommended for the maintenance of medium/large spaces up to very large areas such as sport fields, airfields and golf courses.

*Disponibil pe unele modele din gama Ambrogio 2022, inainte se va evalua tehnic zona.

* Available on some models of the Ambrogio 2022 range, prior to a technical evaluation of the area.



Scanati fotografia cu App Ambrogio Remote, pentru a vedea video-ul

Scan the photo with the Ambrogio Remote APP to see the video





AMICO



VIDEO

Ambrogio este prieten cu toate animalele si respecta nevoia lor de spatiu.

AMICO este tehnologia care poarta sigla ZCS care asigura functionarea in siguranta a robotului Ambrogio in apropierea animalelor care poarta un AMICO, pana la oprirea automata a lamei. Un microdispozitiv de pus pe zgarda unui animal de companie de talie medie/mare sau pe spate, ca in cazul unei broaste testoase. Dispozitivul AMICO comunica cu robotul Ambrogio in timp ce robotul se apropie de orice animal cu acest dispozitiv.

AMICO este inofensiv si sigur.

AMICO este disponibil pentru toate modelele din gama Ambrogio. Pentru mai multe informatii, vizitati ambrogiorobot.com sau contactati dealerul dumneavoastra.

Ambrogio is a friend to all animals and respects their need for space.

AMICO is the technology bearing the ZCS logo that ensures the safe operation of Ambrogio robot near animals wearing an AMICO, until the automatic shutdown of the blade. A micro device to be put on an average/large-sized pets's collar, or on its back, as in the case of a tortoise. The AMICO tag communicates with Ambrogio robot as it approaches any animal with the tag.

AMICO is harmless and safe.

AMICO is available for all models of the Ambrogio range. For more information, please visit ambrogiorobot.com or contact your dealer.



ZDEFENCE



VIDEO

Sistemul Inteligent & Verde impotriva tantarilor.

Natural, automat si usor de instalat, ZDefence* foloseste un biorepelent 100% natural, care creeaza o bariera impotriva tantarilor.

Gradina ta va fi mereu frumoasa si lipsita de orice pacoste!

*Compatibil cu modelele 4.0 si 4.36

The Smart & Green system against mosquitoes

Natural, automated and easy to install, ZDefence* uses a 100% natural biorepellent, which creates a barrier against mosquitoes.

Your garden will always be beautiful and free from any nuisance!

*Compatible with Ambrogio 4.0 and 4.36 models.

NEW



Capac pentru statia de incarcare | *Recharging base cover*



Capac statie negru stralucitor
Shelter Garage colour shiny black

015Z11800A

TWENTY ZR
TWENTY
LIS DELUXE



Capac statie negru stralucitor
Shelter Garage colour shiny black

L29Z03700A

TWENTY 25
TWENTY 29



Capac statie aspect negru carbon
Shelter Garage colour black carbon look

051Z19000A

L32



Capac statie negru stralucitor
Shelter Garage colour shiny black

051A00050A

L32



Capac statie negru stralucitor
Shelter Garage colour shiny black

110Z66200A

L250



Capac statie negru stralucitor
Shelter Garage colour shiny black

075Z45800A

4.0
4.36 elite
QUAD elite

Roti dintate | Spikes



Produce Products	Numar de articol Item number	Modelul Ambrogio Ambrogio model
Roti dintate Spike	051Z50900A	L32
Roti dintate Spike	110Z54001A	L250
Roti dintate Spike	042Z21900A	4.0 4.36 elite

Kit de instalare | Installation Kit



Produce Products	Compozitie Composition			Numar de articol Item number
Kit de instalare S Installation Kit S	150 m fir perimetral 150m wire	300 cuie de fixare 300 pegs	3 conectori 3 connectors	200A00060A
Kit de instalare M Installation Kit M	150 m fir perimetral 150m wire	300 cuie de fixare 300 pegs	3 conectori 3 connectors	200A00065A
Kit de instalare L Installation Kit L	300 m fir perimetral 300m wire	500 cuie de fixare 500 pegs	6 conectori 6 connectors	200A00070A

Smart & Green



Produce Products	Numar de articol Item number	Modelul Ambrogio Ambrogio model
Dispozitiv de siguranta pentru animale de companie (AMICO) Pet safety device (AMICO)	030Z22500A	TWENTY Z3 TWENTY TWENTY 25 TWENTY 29 4.0 4.36 elite L60 L150 DELUXE L32 L250 L400
Dispozitiv impotriva tantarilor (ZDEFENCE) Device against mosquitoes (ZDEFENCE)		4.0 4.36 elite

Specialistul in roboti *The robot specialists*

Din anul 2000 Zucchetti Centro Sistemi a proiectat, creat si inovat robotii de tuns iarba Ambrogio.

Since 2000 Zucchetti Centro Sistemi has designed, created and innovated its Ambrogio robot lawnmowers.



Vino si descopera robotii Ambrogio la cel mai apropiat **dealer autorizat**

- » Indrumare si sprijin profesional in faza de selectie a robotului
- » Asistenta tehnica de specialitate in caz de defectiuni.
- » Piese de schimb originale garantate

*Come and discover Ambrogio robot lawnmowers at your nearest **authorised dealer***

- » *Professional guidance and support during the robot selection phase*
- » *Specialised technical assistance in case of malfunctioning*
- » *Original spare parts guaranteed*



AMBROGIO ROBOT

THE ROBOTIC LAWNMOWER



Zucchetti Centro Sistemi SpA
Via Lungarno, 305
52028 - Terranuova B.ni (AR) - Italy
Phone +39 055 91971 - Fax +39 055 9197515



Ambrogio Robot



ambrogiorobot.com

Dealer